

L Number	Hits	Search Text	DB	Time stamp
-	923	365/198.ccls. or 711/103.ccls. or 709/227-228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:08
-	120713	(program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:17
-	6679	(program\$3 or reprogram\$4) same (start\$3 near2 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 12:49
-	162	(program\$3 or reprogram\$4) same (start\$3 near2 address\$3) same packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 12:35
-	15	(program\$3 or reprogram\$4) same (sequential near2 address\$3) same packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 12:36
-	56	(program\$3 or reprogram\$4) same ((sequential or increment\$3) near2 address\$3) same packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:18
-	5	((program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom) and ((program\$3 or reprogram\$4) same (start\$3 near2 address\$3) same packet) and ((program\$3 or reprogram\$4) same ((sequential or increment\$3) near2 address\$3) same packet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 12:38
-	7995	(program\$3 or reprogram\$4) same ((start\$3 or head\$3) near2 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:19
-	3277	(program\$3 or reprogram\$4) same ((sequential or increment\$3) near2 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 12:54
-	475	((program\$3 or reprogram\$4) same ((start\$3 or head\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same ((sequential or increment\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 12:59
-	289	717/168.ccls. or 717/174.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:08
-	1200	(365/198.ccls. or 711/103.ccls. or 709/227-228) or (717/168.ccls. or 717/174.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 13:03

-	5	((program\$3 or reprogram\$4) same ((start\$3 or head\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same ((sequential or increment\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom)) and ((365/198.ccls. or 711/103.ccls. or 709/227-228) or (717/168.ccls. or 717/174.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 13:03
-	1947	365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 13:08
-	2223	(365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 15:36
-	15	((program\$3 or reprogram\$4) same ((start\$3 or head\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same ((sequential or increment\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom)) and ((365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 13:16
-	14	((program\$3 or reprogram\$4) same ((start\$3 or head\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same ((sequential or increment\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom)) and ((365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)) and (@ad<19991215 or @rlad<19991215)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 12:34
-	2	5966723.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 12:34
-	0	5966723.pn. and packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 12:57
-	1037	(program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom) same packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 13:54
-	475	((program\$3 or reprogram\$4) same ((start\$3 or head\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same ((sequential or increment\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 13:02
-	13	((program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom) same packet) and ((program\$3 or reprogram\$4) same ((start\$3 or head\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same ((sequential or increment\$3) near2 address\$3)) and ((program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/12 13:02

-	446	(program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom) same (packet near2 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 13:12
-	2223	(365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 13:13
-	11	((program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom) same (packet near2 data)) and ((365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 13:51
-	126902	control near2 program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 13:56
-	428	(control near2 program) and ((365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 13:54
-	120713	(program\$3 or reprogram\$4) same (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 13:55
-	225	rewrite near2 control near2 program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 13:56
-	22	(rewrite near2 control near2 program) and ((365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/12 13:57
-	1052	365/198.ccls. or 711/103.ccls. or 709/227-228	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/10 15:35
-	342	717/168.ccls. or 717/174.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/10 15:36
-	2583	(365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/09 13:14
-	108820	(program\$3 or reprogram\$4) with (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/10 15:37
-	5634	(program\$3 or reprogram\$4) with ((start\$3 or head\$3 or begin or beginning) near2 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/10 15:38
-	2332	((start\$3 or head\$3 or begin or beginning) near2 address\$3) with increment\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/10 15:41

-	6054	((start\$3 or head\$3 or begin or beginning) near2 address\$3) with (compar\$3 or match\$3 or check\$3 or detect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:21
-	1150	((start\$3 or head\$3 or begin or beginning) near2 address\$3) with (compar\$3 or match\$3 or check\$3 or detect\$3)) with (terminat\$3 or finish\$3 or end\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:24
-	11	((program\$3 or reprogram\$4) with (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom)) and ((program\$3 or reprogram\$4) with ((start\$3 or head\$3 or begin or beginning) near2 address\$3)) and (((start\$3 or head\$3 or begin or beginning) near2 address\$3) with increment\$3) and (((start\$3 or head\$3 or begin or beginning) near2 address\$3) with (compar\$3 or match\$3 or check\$3 or detect\$3)) with (terminat\$3 or finish\$3 or end\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 16:05
-	9	((365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)) and ((program\$3 or reprogram\$4) with (flash\$3 or eeprom or eprom or (non adj1 volatile) or rom or prom)) and (((start\$3 or head\$3 or begin or beginning) near2 address\$3) with (compar\$3 or match\$3 or check\$3 or detect\$3)) with (terminat\$3 or finish\$3 or end\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/10 16:06
-	392	717/168.ccls. or 717/174.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:08
-	284	710/35.ccls. or 710/32.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:13
-	2881	(365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:14
-	1865	(program\$4 or reprogram\$4) with ((sequential or increment\$3 or burst) near2 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:19
-	9581	(program\$3 or reprogram\$4) same ((start\$3 or head\$3 or beginning) near2 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:27
-	6310	((start\$3 or head\$3 or begin or beginning) near2 address\$3) with (compar\$3 or match\$3 or check\$3 or detect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:22
-	17845	(address\$3 with (compar\$3 or match\$3 or check\$3 or detect\$3)) same (terminat\$4 or finish\$3 or end\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:26
-	3160	(717/168.ccls. or 717/174.ccls.) or (710/35.ccls. or 710/32.ccls.) or ((365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:26

-	204	((address\$3 with (compar\$3 or match\$3 or check\$3 or detect\$3)) same (terminat\$4 or finish\$3 or end\$3)) and ((717/168.ccls. or 717/174.ccls.) or (710/35.ccls. or 710/32.ccls.) or ((365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:26
-	35	((address\$3 with (compar\$3 or match\$3 or check\$3 or detect\$3)) same (terminat\$4 or finish\$3 or end\$3)) and ((717/168.ccls. or 717/174.ccls.) or (710/35.ccls. or 710/32.ccls.) or ((365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)))) and ((program\$3 or reprogram\$4) same ((start\$3 or head\$3 or beginning) near2 address\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:27
-	6	((program\$4 or reprogram\$4) with ((sequential or increment\$3 or burst) near2 address\$3)) and (((address\$3 with (compar\$3 or match\$3 or check\$3 or detect\$3)) same (terminat\$4 or finish\$3 or end\$3)) and ((717/168.ccls. or 717/174.ccls.) or (710/35.ccls. or 710/32.ccls.) or ((365/198.ccls. or 711/103.ccls. or 711/154.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)))) and ((program\$3 or reprogram\$4) same ((start\$3 or head\$3 or beginning) near2 address\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 13:27

L Number	Hits	Search Text	DB	Time stamp
1	6296	(365/198.ccls. or 365/185.33.ccls. or 365/189.07.ccls. or 711/103.ccls. or 711/154.ccls. 711/167.ccls. or 711/218-219.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/10 16:10
2	1866	((compar\$3 or match\$3 or check\$3 or detect\$3) with address) same ((program\$4 or stor\$3 or writ\$3 or reprogram\$4) with (flash or eeprom or eprom or prom))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/10 17:07
3	284	710/35.ccls. or 710/32.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/10 16:13
4	10360	(program\$4 or reprogram\$4 or writ\$3 or stor\$3) with ((sequential or increment\$3 or burst or serial) near2 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/10 17:19
5	6554	((365/198.ccls. or 365/185.33.ccls. or 365/189.07.ccls. or 711/103.ccls. or 711/154.ccls. 711/167.ccls. or 711/218-219.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)) or (710/35.ccls. or 710/32.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/10 16:15
6	26	((365/198.ccls. or 365/185.33.ccls. or 365/189.07.ccls. or 711/103.ccls. or 711/154.ccls. 711/167.ccls. or 711/218-219.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)) or (710/35.ccls. or 710/32.ccls.) and (((compar\$3 or match\$3 or check\$3 or detect\$3) with address) same ((program\$4 or stor\$3 or writ\$3 or reprogram\$4) with (flash or eeprom or eprom or prom))) and ((program\$4 or reprogram\$4 or writ\$3 or stor\$3) with ((sequential or increment\$3 or burst or serial) near2 address\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/10 16:15
8	18	((365/198.ccls. or 365/185.33.ccls. or 365/189.07.ccls. or 711/103.ccls. or 711/154.ccls. 711/167.ccls. or 711/218-219.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)) or (710/35.ccls. or 710/32.ccls.) and (((compar\$3 or match\$3 or check\$3 or detect\$3) with address) same ((program\$4 or stor\$3 or writ\$3 or reprogram\$4) with (flash or eeprom or eprom or prom))) and ((program\$4 or reprogram\$4 or writ\$3 or stor\$3) with ((sequential or increment\$3 or burst or serial) near2 address\$3)) and (@ad<=19991215 or @rlad<=19991215)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/10 17:19
9	105	((program\$4 or reprogram\$4 or writ\$3 or stor\$3) with ((sequential or increment\$3 or burst or serial) near2 address\$3)) and (((compar\$3 or match\$3 or check\$3 or detect\$3) with address) same ((program\$4 or stor\$3 or writ\$3 or reprogram\$4) with (flash or eeprom or eprom or prom))) and (@ad<=19991215 or @rlad<=19991215)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/10 17:04
10	180	((program\$4 or reprogram\$4 or writ\$3 or stor\$3) with ((sequential or increment\$3 or burst or serial) near2 address\$3)) with (eprom or flash or eprom or prom)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/10 17:18

11	30	((program\$4 or reprogram\$4 or writ\$3 or stor\$3) with ((sequential or increment\$3 or burst or serial) near2 address\$3)) and (((compar\$3 or match\$3 or check\$3 or detect\$3) with address) same ((program\$4 or stor\$3 or writ\$3 or reprogram\$4) with (flash or eeprom or eprom or prom))) and (@ad<=19991215 or @rlad<=19991215)) and (((program\$4 or reprogram\$4 or writ\$3 or stor\$3) with ((sequential or increment\$3 or burst or serial) near2 address\$3)) with (eeprom or flash or eprom or prom))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/10 17:07
12	21	((program\$4 or reprogram\$4 or writ\$3 or stor\$3) with ((sequential or increment\$3 or burst or serial) near2 address\$3)) and (((compar\$3 or match\$3 or check\$3 or detect\$3) with address) same ((program\$4 or stor\$3 or writ\$3 or reprogram\$4) with (flash or eeprom or eprom or prom))) and (@ad<=19991215 or @rlad<=19991215)) and (((program\$4 or reprogram\$4 or writ\$3 or stor\$3) with ((sequential or increment\$3 or burst or serial) near2 address\$3)) with (eeprom or flash or eprom or prom)) not (((365/198.ccls. or 365/185.33.ccls. or 365/189.07.ccls. or 711/103.ccls. or 711/154.ccls. 711/167.ccls. or 711/218-219.ccls. or 709/227-228 or 712/37.ccls.) or (717/168.ccls. or 717/174.ccls.)) or (710/35.ccls. or 710/32.ccls.)) and (((compar\$3 or match\$3 or check\$3 or detect\$3) with address) same ((program\$4 or stor\$3 or writ\$3 or reprogram\$4) with (flash or eeprom or eprom or prom))) and ((program\$4 or reprogram\$4 or writ\$3 or stor\$3) with ((sequential or increment\$3 or burst or serial) near2 address\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/10 17:07
13	62	((program\$4 or reprogram\$4) with ((sequential or increment\$3 or burst or serial) near2 address\$3)) with (eeprom or flash or eprom or prom)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/10 17:19
14	41	((compar\$3 or match\$3 or check\$3 or detect\$3) with address) same ((program\$4 or stor\$3 or writ\$3 or reprogram\$4) with (flash or eeprom or eprom or prom))) and (((program\$4 or reprogram\$4 or writ\$3 or stor\$3) with ((sequential or increment\$3 or burst or serial) near2 address\$3)) with (eeprom or flash or eprom or prom))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/10 17:19
15	30	((compar\$3 or match\$3 or check\$3 or detect\$3) with address) same ((program\$4 or stor\$3 or writ\$3 or reprogram\$4) with (flash or eeprom or eprom or prom))) and (((program\$4 or reprogram\$4 or writ\$3 or stor\$3) with ((sequential or increment\$3 or burst or serial) near2 address\$3)) with (eeprom or flash or eprom or prom))) and (@ad<=19991215 or @rlad<=19991215)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/10 17:19

16	0	((((compar\$3 or match\$3 or check\$3 or detect\$3) with address) same ((program\$4 or stor\$3 or writ\$3 or reprogram\$4) with (flash or eeprom or eprom or prom))) and (((program\$4 or reprogram\$4 or writ\$3 or stor\$3) with ((sequential or increment\$3 or burst or serial) near2 address\$3)) with (eeprom or flash or eprom or prom))) and (@ad<=19991215 or @rlad<=19991215)) not (((compar\$3 or match\$3 or check\$3 or detect\$3) with address) same ((program\$4 or stor\$3 or writ\$3 or reprogram\$4) with (flash or eeprom or eprom or prom))) and (((program\$4 or reprogram\$4 or writ\$3 or stor\$3) with ((sequential or increment\$3 or burst or serial) near2 address\$3)) with (eeprom or flash or eprom or prom)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/10 17:19
----	---	--	---	------------------